

## DEMS . NASA / RECON - 10

| WORKING PAPER SERIES |

Unclass  
0183556

-----  
N A S A

-----  
N A S A

KNOWLEDGE BASED SYSTEMS:  
A CRITICAL SURVEY OF MAJOR CONCEPTS,  
ISSUES AND TECHNIQUES:  
VISUALS

Srinu Kavi

Center for Advanced Computer Studies  
University of Southwestern Louisiana  
P. O. Box 44330  
Lafayette, Louisiana 70504

December 11, 1984

-----  
DEMS.NASA/RECON-10

-----  
WORKING PAPER SERIES

**KNOWLEDGE BASED SYSTEMS:  
A CRITICAL SURVEY OF MAJOR CONCEPTS,  
ISSUES, AND TECHNIQUES**

**SRINU KAVI  
FALL 1984**

## OBJECTIVES

- To examine various issues and concepts involved in KBSs involved in KBSs
- To examine various techniques used to build KBSs
- To examine (at least one) KBS in detail (i.e., case study)
- To list and identify limitations and problems with KBSs
- To suggest future areas of research
- To provide extensive references

## **TABLE OF CONTENTS**

### **1. INTRODUCTION**

### **2. KNOWLEDGE-BASED SYSTEMS (KBSs)**

**Introduction**

**Hypothetical KBS**

**KBS Components**

### **3. TECHNIQUES USED TO CONSTRUCT KBSs**

**Introduction**

**Methods of Representing Knowledge**

**Inference Engine**

**Workspace Representation**

**The Interface**

### **4. KBS BUILDING TOOLS AND LANGUAGES**

**General Purpose Programming Languages**

**Skeletal Systems**

**General Purpose Representation Languages**

**Computer-Aided Design Tools**

**Case Studies**

## **5. APPLICATION CONSIDERATIONS**

**Initial Considerations**

**Technology Considerations**

**Environmental Considerations**

## **6. CONCLUSIONS**

## **7. POTENTIAL FUTURE RESEARCH AREAS**

## **APPENDICIES**

**A. CASE STUDY - MYCIN**

**B. LIST OF KBSs**

**C. FIFTH GENERATION PROJECT**

## **REFERENCES**

## **CHARACTERISTICS OF KBSs**

- **Organization of Knowledge**
- **Performance**
- **Utility**  
**(or Usefulness)**
- **Understandability**  
**(or Explainability)**
- **Heuristics**
- **Uncertainty**
- **Flexibility**
- **Modularity**




FIGURE 2-1. KBS ELEMENTS AND THEIR RELATIONSHIP  
 BASED ON [HAYES-ROTH, ET AL, '83] AND [BARNETT & BERNSTEIN, '77]



# **TECHNIQUES USED TO CONSTRUCT KBSs**

## **Introduction**

**Origins of KBS Techniques**  
**Choices and Restrictions**  
**Knowledge Representation Problems**  
**Knowledge Representation Forms**  
**Knowledge Representation Unit**  
**Credibility Factors**  
**Procedural Versus Declarative**  
**Representation**

## **Methods of Representing KB**

**Finite-State Machine**  
**Programs**  
**Predicate Calculus**  
**Production Rules**  
**Semantic Networks**  
**Frames**

## **Inference Engine (IE)**

**Primary Functions of IE**

**Some Definitions**

**IE Strategies**

**Methods of Implementing the IE**

**Measures of Performance**

## **Workspace Representation**

**Introduction**

**HEARSAY-Blackboard**

**AND/OR Graph**

**Blackboard Versus AND/OR Graph**

## **The Interface**

**Functions of the Interface**

**User Interface**

**Expert Interface**

**Knowledge Acquisition (KA) Process**

**Table 3-1 ORIGINS OF KBS TECHNIQUES**  
**(Based on [Barnett & Bernstein, 77])**

**ARTIFICIAL INTELLIGENCE (AI)**

**Heuristic Search**  
**Inference and Deduction**  
**Pattern Matching**  
**Knowledge Representation and**  
**Acquisition**  
**System Organization**

**LANGUAGE PROCESSING**

**Parsing and Understanding**  
**Question and Response Generation**  
**Knowledge Representation and**  
**Acquisition**

**THEORY OF PROGRAMMING LANGUAGES**

**Formal Theory of Computational**  
**Power**  
**Control Structures**  
**Data Structures**  
**System Organization**  
**Parsing**

## **MODELING AND SIMULATION**

**Representation of Knowledge**  
**Control Structures**  
**Calculation of Approximations**

## **DATA BASE MANAGEMENT**

**Information Retrieval**  
**Updating**  
**File Organization**

## **SOFTWARE ENGINEERING**

**System Organization**  
**Documentation**  
**Iterative System Development**

## **APPLICATION AREAS**

**Domain-Specific Algorithms**  
**Human Engineering**




FIGURE 3-1. RESTRICTIONS ON CHOICES OF KBS METHODOLOGIES  
BASED ON [BARNETT & BERSTEIN, '77]




FIGURE 3-2. KNOWLEDGE REPRESENTATION FORMS " "  
BASED ON [BARNETT & BERNSTEIN, '77]

# KNOWLEDGE REPRESENTATION METHODS

- Finite state machines
- Programs
- Predicate calculus
- Production rules
- Semantic networks
- Frames

**Representation = Knowledge + Access**  
**[Newell, 82]**

## **PRODUCTION SYSTEM COMPONENTS**

**Three parts [Barr & Feigenbaum, 81]:**

- **A Rule Base:** A collection of  
production rules.
- **A Workspace:** A buffer like data  
structure.
- **An Interpreter:** Which controls the  
system activity.



## **INTERPRETER TASKS**

- **Matching or  
Building a Conflict-Set**
- **Conflict-Resolution**
- **Action or Execution**

## **CONFLICT RESOLUTION STRATEGIES**

- **Rule Order**
- **Rule Precedence**
- **Generality Order**
- **Data Order**
- **Regency Order**
- **Non-Deterministic**

## **AN EXAMPLE**

### **Automotive Repair Agency**

#### **The System Contains**

- **Knowledge Base of production rules  
(Performance characteristics and  
Measurable attributes)**
- **A Database  
(Past problems, Repairs, and  
Service performed)**

- R1** IF fan belt tension is low  
THEN alternator output will be low [.5]  
and engine will overheat [.2]
- R2** IF alternator output is low  
THEN battery charge will be low [.7]
- R3** IF battery is low  
THEN car will be difficult to start [.5]
- R4** IF automatic choke malfunctions OR  
automatic choke needs adjustment  
THEN car will be difficult to start [.8]
- R5** IF battery is out of warranty  
THEN battery charge may be low [.9]

**Figure 3-9 PRODUCTION RULES FOR  
AUTOMOTIVE SYSTEMS KS**

- R6** IF coolant is lost OR coolant system  
pressure cannot be maintained  
THEN engine will overheat [.7]
- R7** IF there is a high resistance short  
AND fuse is not blown  
THEN battery charge will be low [.8]
- R8** IF battery fluid is low  
THEN battery will boil off fluid [.3]
- R9** IF battery fluid is low  
THEN battery charge will be low [.4]

**Figure 3-9. PRODUCTION RULES FOR  
AUTOMOTIVE SYSTEMS KS (CONT'D)**

OBSERVATIONS	AGENT	DIFFICULTY
Alternate Output Level	Mech	4
Battery Charge Level	Mech	3
Battery Fluid Level	SrvR	2
Choke Adjustment	Mech	5
Choke Function	Mech	5
Coolant Level	SrvR	2
Coolant System Pressure	Mech	5
Difficulty to Start	Cust	1
Engine Temperature	Cust	1
Fan Belt Tension	Mech	3
Fuse Condition	SrvR	2
Short in Electric Systm	Mech	8
Voltage Regulator Level	Mech	4
Warranties	Data Base	0

**Figure 3-10. DATA GATHERING PROCEDURE  
FACT FILE**




FIGURE 3.11 EXAMPLE FLOW IN AUTO DIAGNOSTIC SYSTEM




FIGURE 3-13. FRAGMENT OF GRAPH STRUCTURE




FIGURE 3-14. CHARACTERISTICS OF PRODUCTION SYSTEMS  
 BASED ON [BARNETT & BERNSTEIN, '77]



## **SEMANTIC NETWORKS**

**Semantic networks are used in**


- Psychological modeling of human memory**
- Programming languages**
- Natural language understanding**
- Data base management systems**

**A SEMANTIC NETWORK (or NET) consists of nodes and links.**

## RELATIONS

TEMP(WARM-BLOODED MAMMAL)  
ISA(DOG,MAMMAL) ISA(CAT,MAMMAL)  
ISA(FIDO,DOG) ISA(BOWSER,DOG) ISA(PUFF,CAT)  
LOC(MARY'S,FIDO) LOC(FIREHOUSE,BOWSER) LOC(BOB'S,PUFF)  
COLOR(TAN,FIDO) COLOR(TAN,BOWSER) COLOR(BLACK,PUFF)  
SIZE(40LB,FIDO) SIZE(14LB,BOWSER) SIZE(4LB,PUFF)  
BETWEEN(MARY'S,FIREHOUSE,BOB'S)

## SEMANTIC NETWORK



## RULES OF INFERENCE

$ISA(X,Y) \wedge ISA(Y,Z) \Rightarrow ISA(X,Z)$

$SIZE(X,Y) \wedge SIZE(U,V) \wedge X < U \Rightarrow SMALLER(Y,V)$

$ISA(X,Y) \wedge R(U,Y) \Rightarrow R(U,X)$

FIGURE 3.15 EXAMPLE SEMANTIC NETWORK

## INFERENCES

### First Rule

PUFF is a cat and CAT is a MAMMAL;  
therefore, PUFF is a MAMMAL.

### Second Rule

SIZE(4,PUFF) & SIZE(14,BOWSER) & 4 < 14  
=> SMALLER(PUFF, BOWSER)

### Third Rule

ISA(FIDO, DOG) & ISA(DOG, MAMMAL)  
=> ISA(FIDO, MAMMAL)

ISA(FIDO, MAMMAL) &  
TEMP(WARM\_BLOODED, MAMMAL) =>  
TEMP(FIDO, WARM\_BLOODED)

## MEANINGLESS INFERENCE

$\text{ISA}(\text{DOG}, \text{MAMMAL}) \ \& \ \text{ISA}(\text{CAT}, \text{MAMMAL})$   
 $\quad \quad \quad \Rightarrow \quad \text{ISA}(\text{DOG}, \text{CAT})$

$\text{INHERITABLE}(\text{TEMP})$

$\text{ISA}(\text{x}, \text{y}) \ \& \ \text{r}(\text{u}, \text{y}) \ \&$   
 $\quad \text{INHERITABLE}(\text{r}) \Rightarrow \quad \text{r}(\text{u}, \text{x})$

## CURRENT RESEARCH

- What does a node (object) really mean?
- Is there a unique way to represent an idea?
- How is the passage of time to be represented?
- How does one represent things that are not facts about the world but rather ideas or beliefs?
- What are the rules about inheritance of properties in networks?

# **FRAMES**

## **Frame Characteristics**

- **Description**
- **Instantiation**
- **Prediction or Expectation**
- **Justification**
- **Variation**
- **Correction**
- **Perturbation**
- **Transformation**

```

1  dog  FRAME    ISA    mammal
2      kind      breed
3      color     SUBSET.OF {tan brown black
                           white rust}
4      FROM color OF kind
5      leggedness 0...4
6      weight      >0, FROM size OF kind
7      state       adult OR
                           puppy if age < 1
8      age          >0, now birthday
9      birthday     date
10     name         string
11     END          dog

```

( a )

**Figure 3-16. EXAMPLE FRAME DEFINITIONS**  
**[Barnett & Bernstein, 77]**

1	boxer	FRAME	ISA	breed OF dog
2		color		ONE.OF { <u>tan</u> brown brindle}
3		size		40...60
4		tail		<u>bobbed</u> OR long
5		ears		<u>bobbed</u> OR floppy
6		temperment		playful
7		COMPLAINTS		IF weight > 100 THEN ASSUME (great dane)
8		END		boxer

( b )

Figure 3-16. EXAMPLE FRAME DEFINITIONS  
(CONT'D) [Barnett & Bernstein, 77]



## LOW-LEVEL INFORMATION

OBJECT . 654

color = tan  
ears = bobbed  
leggedness = 4  
size = 40 - 45  
temperment = mean

## TRIAL IDENTIFICATION

[OBJECT 654 ISA dog

kind boxer WITH [color tan  
size 40 - 45  
tail ASSUMED bobbed  
ears bobbed  
temperment EXCEPTIONAL  
mean]

color tan  
leggedness 4  
weight 40 - 45  
state ASSUMED adult]

Figure 3-17. INEXACT MATCH BY A FRAME SYSTEM  
[Barnett & Bernstein, 77]

## **INFERENCE ENGINE CONTROL STRATEGIES**

- **Forward chaining**
- **Backward chaining**
- **Chain both ways**
- **Middle term chaining**
- **Fixed directionality**
- **Variable directionality**
- **Hybrid strategy**
- **Breadth-first**
- **Depth-first**






FIGURE 3, 18 CHAINING EXAMPLES

## BREADTH-FIRST CONTROL STRATEGY

An Example: 8-Puzzle

+	-	-	-	+	-	-	-	+	-	-	-	+
	2				8				3			
+	-	-	-	+	-	-	-	+	-	-	-	+
	1				6				4			
+	-	-	-	+	-	-	-	+	-	-	-	+
	7				-				5			
+	-	-	-	+	-	-	-	+	-	-	-	+

a .

+	-	-	-	+	-	-	-	+	-	-	-	+
	1				2				3			
+	-	-	-	+	-	-	-	+	-	-	-	+
	8				-				4			
+	-	-	-	+	-	-	-	+	-	-	-	+
	7				6				5			
+	-	-	-	+	-	-	-	+	-	-	-	+

b .

ORIGINAL PAGE IS  
OF POOR QUALITY




FIGURE 3-21. THE TREE PRODUCED BY A BREADTH-FIRST SEARCH  
BASED ON [NILSSON, '71]




FIGURE 3-22. DEPTH-FIRST BACK CHAINING




FIGURE 3-23. THE TREE PRODUCED BY A DEPTH-FIRST SEARCH  
BASED ON [NILSSON, '71]

## **METHODS OF IMPLEMENTING THE IE**

- **S e a r c h   M e t h o d s**
- **S i m u l a t i o n   M e t h o d s**
- **P a t t e r n   M a t c h i n g**

## **SEARCH   SYSTEM COMPONENTS**

### **F i v e   m a j o r   c o m p o n e n t s**

- **S e l e c t**
- **E x p a n d**
- **E v a l u a t e**
- **P r u n e**
- **T e r m i n a t e**



## EVALUATION FUNCTION

"The purpose of an evaluation function is to provide a means for ranking those nodes (activities) that are candidates for expansion to determine which one is most likely to be on the best path to the goal" [Nilsson, 71].

## A\* - AN OPTIMAL SEARCH ALGORITHM

In A\*, the evaluation function,  $f'(x)$  is the cost of a solution path constrained to go through node  $x$ ;  $f'$  should be minimized.

$$f'(n(i)) = \sum_{j=1}^{m-1} K(n(j), n(j+1)) \quad 1 \leq i \leq m$$

$$f'(n) = f'(\text{start}, n) + f'(n, \text{goal})$$

$$f'(n) = g(n) + h(n)$$

$$f(n) = g'(n) + h'(n).$$

## **MEASURES OF PERFORMANCE**

### **Search Techniques**

#### **Penetration**

$$P = L/T$$

**L** length of the derived path  
from initial to goal

**T** total number of nodes

#### **Branching Factor**



## **WORKSPACE REPRESENTATION**

- **Plan**
- **Agenda**
- **History**
- **Solution Set**

## **TWO METHODS**

- **HEARSAY Blackboard**
- **AND/OR Graph**

## **HEARSAY BLACKBOARD**

### **A data structure**

- **Hypotheses and support criteria stored**
- **Intermediary between KSs and IE**




FIGURE 3-28. HEARSAY II LEVELS OF REPRESENTATION  
AND KNOWLEDGE SOURCES BASED ON [ERMAN, ET AL, '80]

## **USER INPUT**

### **Parsing Strategies**

- **Backtracking Versus Parallel Processing**
- **Top Down Versus Bottom Up Processing**
- **Choosing How to Expand or Combine**
- **Multiple Knowledge Sources**



## **PARSING SYSTEMS**

- **Template matching**
- **Transition networks**
- **Semantic grammar parsers**

## TEMPLATE MATCHING

E.g., ELIZA, SIR, STUDENT

\$1 x(i) {IS/ARE} NOT \$2

WHAT IF x(i) WERE \$(2) ?

"Today's temperature is not hot"

"What if temperature were hot?"

## RECURSIVE TRANSITION NETWORKS

E.g., "The little boy in the swimsuit  
kicked the red ball"

NP: The little boy in the swimsuit

PP: in the swimsuit

NP: the swimsuit

Verb: kicked

NP: the red ball




FIGURE 3-32. A RECURSIVE TRANSITION NETWORK  
 BASED ON [BARR & FEIGENBAUM, '81]

## **AUGMENTED TRANSITION NETWORKS**

**ATN    - - >    RTN extended in three ways**

- R e g i s t e r s**
- T e s t s**
- A c t i o n s**

# **DIFFICULTIES IN EXPLANATIONS**

## **Explanations**

- **Must be in terms of**
  - Knowledge chunks**
  - Problem parameters**
  - Inference rules**
- **Must be translated to human understanding**

## **METHODS OF PROVIDING EXPLANATIONS**

- **Workspace Representation**
- **Using Knowledge Source(s)**
- **Re-solve the Problem**




FIGURE 3-33. STAGES OF KNOWLEDGE ACQUISITION  
BASED ON [HAYES-ROTH, 'ET AL, '83]

## **DIFFICULTIES IN KA**

- **Representational mismatch**
- **Verbalization by the expert  
(Protocol study)**
- **Limitations on current technology**

**KA bottleneck**



## **KBS BUILDING TOOLS AND LANGUAGES**

- **General purpose programming languages**
- **Skeletal systems**
- **General purpose representation languages**
- **Computer-aided design tools for KBSs**

### **Case Studies**

- **EMYCIN**
- **HEARSAY-III**
- **AGE**

## INITIAL CONSIDERATIONS

- Task suitability
- Availability of expert
- KA process
- Agreement with the domain theory
- Expert's model
- Expert's principles of reasoning
- Intermediate levels of abstraction
- General versus domain specific knowledge
- End users
- Unanticipated support
- Cost versus benefits

## **TECHNOLOGY CONSIDERATIONS**

- **Building the prototype system**
- **Chunk size**
- **Representation of knowledge**
- **Inference engine**
- **Meta knowledge**
- **Procedural knowledge**
- **Addition of knowledge by the users**
- **Extensibility**
- **Knowledge representation tools**
- **Design of tools**

## **KNOWLEDGE REPRESENTATION TOOLS**

- **General i t y**
- **Appropriateness**
- **Accessibility**
- **Explanation/Interaction**
- **Problem characteristics versus  
Tool features**

## **DESIGN OF TOOLS FOR BUILDING KBSs**

- **Generality**
- **Completeness**
- **High-level representation language**
- **Explanation/interaction facilities**
- **Data representation**
- **Control structure**

## **ENVIRONMENTAL CONSIDERATIONS**

- **Interactive KBSs**
- **Interactive development**
- **Local operating environment**

## **SUMMARY**

## **CONCLUSIONS**

- **Wide spectrum of application areas**
- **Highly successful**
- **Some systems are being used routinely  
(DENDRAL, MYCIN, R1, PROSPECTOR)**
- **Not yet commonly understood  
(Few "data points")**
- **Major motivations**

**Replication/Distribution expertise**

**Union of expertise**

**Documentation**



- **Building ESs expensive and time-consuming (\$1-2 million; 5 person-years with tools)**
- **General level of accomplishment high**
- **Number of unresolved issues**
- **Difficulties and potential risk**
- **High expectations/misunderstandings**

## **POTENTIAL FUTURE RESEARCH AREAS**

- **Knowledge acquisition**
- **Representation theory**
- **Comparision of techniques**
- **KBS building tools**
- **Explanation**
- **Evaluation**
- **Parallel processing**
- **Learning from experience**
- **Management of knowledge**
- **Abstraction and hierarchies**
- **Technological innovations**
- **Uniform terminology**

1. Report No. <i>1N-82</i>		2. Government Accession No. <i>183556</i>		3. Recipient's Catalog No.	
4. Title and Subtitle USL/NGT-19-010-900: KNOWLEDGE BASED SYSTEMS: A CRITICAL SURVEY OF MAJOR CONCEPTS, ISSUES, AND TECHNIQUES: VISUALS				5. Report Date December 11, 1984	
				6. Performing Organization Code	
7. Author(s) SRINU KAVI				8. Performing Organization Report No.	
9. Performing Organization Name and Address University of Southwestern Louisiana The Center for Advanced Computer Studies P.O. Box 44330 Lafayette, LA 70504-4330				10. Work Unit No.	
				11. Contract or Grant No. NGT-19-010-900	
12. Sponsoring Agency Name and Address				13. Type of Report and Period Covered FINAL; 07/01/85 - 12/31/87	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract  <p>This Working Paper Series entry represents a collection of presentation visuals associated with the companion report entitled "Knowledge Based Systems: A Critical Survey of Major Concepts, Issues, and Techniques", USL/DBMS NASA/RECON Working Paper Series report number DBMS.NASA/RECON-9.</p> <p>This report represents one of the 72 attachment reports to the University of Southwestern Louisiana's Final Report on NASA Grant NGT-19-010-900. Accordingly, appropriate care should be taken in using this report out of the context of the full Final Report.</p>					
17. Key Words (Suggested by Author(s))  Knowledge-Based Systems, Information Storage and Retrieval Systems			18. Distribution Statement		
19. Security Classif. (of this report)  Unclassified		20. Security Classif. (of this page)  Unclassified		21. No. of Pages  64	22. Price*